



## Multi-function handle TGM

### Features/Options:

- Aluminium handle, silver matt anodised
- Long life
- With plug-in connector M12 x 1, 12-pole
- Collars (blue, red, green) are included in delivery
- Different variants (emergency-stop, 1 or 2 push-buttons)
- Handle length 200 mm or 300 mm
- Angled variant for left or right door
- Counter pieces without function
- Available as wireless switch with lithium battery: [/Wireless multifunction handles RF TGM >](#)

### Technical data

Applied standards	EN 60947-5-1, with emergency-stop push-button: EN 60947-5-5
Enclosure	aluminium, anodised, silver matt
Degree of protection	IP 67 to IEC/EN 60529
Connection	Plug-in-connector M12 x 1, 12-poles
Rated operating current/voltage $I_g/U_g$	0.5 A/24 VDC LEDs: 10 mA/24 VDC
Rated operating isolation voltage $U_i$	30 VDC
Degree of pollution	3
Mechanical life	> 1 million operations
Ambient temperature	-25 °C ... +55 °C

### Ordering details



1 Push button

Type  
TGM-200-W GR xx  
TGM-300-W GR xx

Material no.  
1307515  
1307748



1 Push button, Variant for right-hinged doors

Variant for right-hinged doors

Type  
TGM-200-W GR xx-L  
TGM-300-W GR xx-L

Material no.  
1310967  
1311648

Errors and omissions excepted.



## Multi-function handle TGM

### Ordering details



1 Push button, Variant for left-hinged doors

Type  
TGM-200-W GR xx-R  
TGM-300-W GR xx-R

Material no.  
1314767  
1314772

Variant for left-hinged doors



2 Push buttons

Type  
TGM-200-W GR x S  
TGM-300-W GR x S

Material no.  
1303440  
1307823



2 Push buttons, Variant for right-hinged doors

Type  
TGM-200-W GR x S-L  
TGM-300-W GR x S-L

Material no.  
1312082  
1312085

Variant for right-hinged doors



2 Push buttons, Variant for left-hinged doors

Type  
TGM-200-W GR x S-R  
TGM-300-W GR x S-R

Material no.  
1315894  
1315990

Variant for left-hinged doors



1 Emergency-stop push button

Type  
TGM-200-x x 2Ö x  
TGM-300-x x 2Ö x

Material no.  
1307963  
1308656

Errors and omissions excepted.



## Multi-function handle TGM

### Ordering details



1 Emergency-stop push button,  
Variant for right-hinged doors

Variant for right-hinged doors

Type  
TGM-200-x x 2Ö x-L  
TGM-300-x x 2Ö x-L

Material no.  
1312291  
1312345



1 Emergency-stop push button,  
Variant for left-hinged doors

Variant for left-hinged doors

Type  
TGM-200-x x 2Ö x-R  
TGM-300-x x 2Ö x-R

Material no.  
1316388  
1316392



1 Emergency-stop push button,  
1 Push button

Type  
TGM-200-W GR 2Ö x  
TGM-300-W GR 2Ö x

Material no.  
1309292  
1309624



1 Emergency-stop push button,  
1 Push button

Type  
TGM-200-W GR 2Ö x-L  
TGM-300-W GR 2Ö x-L

Material no.  
1312520  
1312524



## Multi-function handle TGM

### Ordering details



1 Emergency-stop push button,  
1 Push button, Variant for left-  
hinged doors

Type  
TGM-200-W GR 2Ö x-R  
TGM-300-W GR 2Ö x-R

Material no.  
1317126  
1317128

Variant for left-hinged doors



1 Emergency-stop push button,  
2 Push buttons

Type  
TGM-200-W GR 2Ö S  
TGM-300-W GR 2Ö S

Material no.  
1304769  
1309980



1 Emergency-stop push button,  
2 Push buttons, Variant for right-  
hinged doors

Type  
TGM-200-W GR 2Ö S-L  
TGM-300-W GR 2Ö S-L

Material no.  
1312854  
1312858

Variant for right-hinged doors



1 Emergency-stop push button,  
2 Push buttons, Variant for left-  
hinged doors

Type  
TGM-200-W GR 2Ö S-R  
TGM-300-W GR 2Ö S-R

Material no.  
1317501  
1317503

Variant for left-hinged doors



## Multi-function handle TGM

### Ordering details



Without electrical function

Type  
TGM-200-x x x  
TGM-300-x x x

Material no.  
1319036  
1319038



Without electrical function,  
Variant for right-hinged doors  
  
Variant for right-hinged doors

Type  
TGM-200-x x x-L  
TGM-300-x x x-L

Material no.  
1319040  
1319042



Without electrical function,  
Variant for left-hinged doors  
  
Variant for left-hinged doors

Type  
TGM-200-x x x-R  
TGM-300-x x x-R

Material no.  
1319044  
1319046

### Accessories



Coupling M12 x 1, 12-poles

Type  
Coupling M12 x 1, 12-poles 5 m cable straight  
Coupling M12 x 1, 12-poles 5 m cable angled  
Coupling M12 x 1, 12-poles 10 m cable straight  
Coupling M12 x 1, 12-poles 10 m cable angled

Material no.  
1179536  
1180927  
1179764  
1181470

Errors and omissions excepted.